

# Olympic Industries

Moulding Catalog  
MDF & Primed Pine



# Contents

---

1.	Introduction to Olympic	2
2.	MDF Moulding	4
A.	Baseboards, Caps	5
B.	Casing, Chair Rails	19
C.	Crowns	30
D.	Pattern Stock	36
E.	Window & Door Stock - Jamb, Stool, Stops	38
F.	Boards	40
3.	Primed Pine Moulding	41
G.	Baseboards, Caps, Miscellaneous	42
H.	Casing, Chair Rails	52
I.	Crowns	57
J.	Pattern Stock	59
K.	Window & Door Stock - Jamb, Stool, Stops	60
L.	Boards	64
4.	Index	65
5.	Contact Us	69

---

# 1. Introduction to Olympic

Olympic Industries is a leading forest products supplier and trading company, connecting international customers with forest products all across the world. Since our establishment in 1972, we have focused on measured growth through hard work, a spirit of innovation, and an eye toward the future. Our strong international partnerships enable us to secure supply and work directly with top-tier overseas mills for import into the North American market. We maintain comprehensive quality assurance and quality control procedures on all our sourced products.

Every shipment is lab-tested to inspect raw materials, manufacturing processes, and finished products. We are fully capable of handling custom orders to be built precisely to a customer's specifications. Through decades of working with mills, our unwavering dedication to service and integrity sets us apart, providing reliable wood-sourcing solutions for customers and suppliers worldwide. So whenever you are partnering with Olympic, you can trust that you are receiving a high quality product supported by our years of experience.



**Address**  
400-132 Esplanade West  
North Vancouver, BC  
V7M 1A2

**Tel**  
1 604 985 2115  
**Toll Free**  
1 800 735 2115

**Email**  
[info@olympicind.com](mailto:info@olympicind.com)

**Website**  
[olympicind.com](http://olympicind.com)



### Superior Quality


Our Moulding and Millwork Program is built on a foundation of craftsmanship, precision, and quality. We prioritize the use of top-grade materials, comprehensive quality control, and innovative design, ensuring that each product meets our high standards.

### MDF Moulding

Known for its durability and lightweight properties, medium density fiberboard (MDF) boasts a density range of 42.45 lb/ft<sup>3</sup> to 44 lb/ft<sup>3</sup>. Each piece is double-sanded and finished with multiple coats of industry-leading gesso, resulting in an exceptionally smooth surface.

### Primed Pine Moulding

We use finger-jointed, edge-glued Radiata Pine, kiln-dried and heat-treated (KDHT) for superior moisture control and dimensional stability. Coated twice with gesso and primed with an exterior-grade latex primer, these boards offer a durable, polished surface that's ready for painting and finishing, making them ideal for any project.



## 2. MDF Moulding


Medium density fiberboard (MDF) moulding offers a range of benefits that make it an ideal choice for many interior finishing projects. Its smooth, uniform surface ensures a polished finish when painted, creating a high-end look. MDF is also highly cost-effective compared to solid wood, allowing for beautiful, detailed moulding at a lower price point. Additionally, it is easy to machine and shape into intricate designs, providing versatility for a variety of aesthetic styles. Its stability and resistance to warping make it a reliable choice for indoor applications, ensuring long-lasting results.



## A. Baseboards, Caps

### Baseboards

Baseboards line the bottom on an interior wall, covering the intersection where the wall and the floor meet. They protect your walls from common scuffs and water damage. They also add a decorative finish and come in a wide variety of profiles.



#### E1E

##### Dimensions

3/8 x 2-1/4  
 1/2 x 3-1/4  
 1/2 x 3-1/2  
 1/2 x 4-1/2  
 1/2 x 5-1/2  
 1/2 x 7-1/4



#### 3 Step

##### Dimensions

7/16 x 2-1/2  
 1/2 x 3-1/2  
 1/2 x 4-1/8



#### WM 356

##### Dimensions

12mm x 2-1/2



**WM 626**

**Dimensions**

- 3/8 x 2-1/2
- 3/8 x 3-1/2
- 7/16 x 2-1/2
- 7/16 x 3-1/2
- 7/16 x 4-3/16



**WM 366**

**Dimensions**

- 9/16 x 3-1/4



**WM 623**

**Dimensions**

- 1/2 x 3-1/4
- 1/2 x 5-1/4
- 9/16 x 3-1/4
- 9/16 x 4-1/4
- 9/16 x 5-1/4
- 9/16 x 7-1/4



**Ranch**

**Dimensions**

- 7/16 x 3-1/2
- 9/16 x 3-1/2
- 9/16 x 5-1/2
- 9/16 x 7-1/4
- 11/16 x 5-1/2



**OIBM-1**

**Dimensions**

- 9/16 x 2-7/8
- 9/16 x 3-7/8
- 9/16 x 5
- 9/16 x 5-1/4
- 9/16 x 7-1/4
- 9/16 x 8



**OIBM-2**

**Dimensions**

- 1/2 x 5-1/4
- 9/16 x 3-1/4
- 9/16 x 5-1/4
- 9/16 x 7-1/4



**OIBM-3**

**Dimensions**


9/16 x 3-1/2  
 9/16 x 5-1/4  
 5/8 x 4-1/4



**OIBM-4**

**Dimensions**

9/16 x 3-7/16  
 9/16 x 4-1/2  
 9/16 x 5-7/16  
 9/16 x 9-1/4




**Heirloom**

**Dimensions**

7/16 x 3-1/2  
 9/16 x 5-1/4





**WM 741**

**Dimensions**

9/16 x 3-1/2

5/8 x 4-1/4




**OIBM-5**

**Dimensions**

5/8 x 3-3/4

5/8 x 5


5/8 x 7-1/4



**OIBM-6**

**Dimensions**

3/8 x 3-7/8




**Kerfed**

**Dimensions**  
9/16 x 4-1/2  
9/16 x 5-1/2



**Flatstock**

**Dimensions**  
1/2 x 4



**OIBM-7**

**Dimensions**  
9/16 x 4  
9/16 x 5-1/4



**OIBM-8**

**Dimensions**  
9/16 x 4-1/2



**OIBM-9**

**Dimensions**  
9/16 x 4-1/2  
9/16 x 5-1/4



**3 Staged**

**Dimensions**  
9/16 x 4-1/2  
9/16 x 5-1/4  
5/8 x 7-1/4



**OIBM-10**

**Dimensions**  
9/16 x 5-1/4



**OIBM-11**

**Dimensions**  
9/16 x 5



**OIBM-12**

**Dimensions**  
9/16 x 5-1/4



**WM 610**

**Dimensions**  
9/16 x 5-1/4  
5/8 x 6-1/8



**OIBM-13**

**Dimensions**  
9/16 x 5-1/4



**WM 742**

**Dimensions**  
9/16 x 5-1/4  
9/16 x 7-1/4  
9/16 x 9-1/4




**OIBM-14**

**Dimensions**  
11/16 x 5-3/4



**OIBM-15**

**Dimensions**  
9/16 x 5-7/16  
5/8 x 7-1/4



**OIBM-16**

**Dimensions**  
9/16 x 5-1/4



**OIBM-17**

---

**Dimensions**

5/8 x 6




**OIBM-18**

---

**Dimensions**

11/16 x 6



**OIBM-19**

---

**Dimensions**

9/16 x 7-1/4  
5/8 x 6  
5/8 x 8-1/4



OIBM-20

Dimensions  
9/16 x 7-1/4



WM 780

Dimensions  
9/16 x 6-1/2



OIBM-21

Dimensions  
3/4 x 6-1/2



**OIBM-22**

**Dimensions**  
9/16 x 7-1/4



**OIBM-23**

**Dimensions**  
1 x 8-1/2



**OIBM-24**

**Dimensions**  
1 x 7-3/8  
1 x 8-1/2

## Caps

Caps are installed on top of baseboards to build up the moulding. They add an extra layer of complexity.



**Corner**

**Dimensions**


1 x 2-1/2



**OICAM-1**

**Dimensions**

1 x 2-1/2



**OICAM-2**

**Dimensions**

3/4 x 2

## B. Casing, Chair Rails

### Casing

Casing is used to frame windows and doors where they meet the wall. They cover any gaps and provide a polished look.



#### WM 324

##### **Dimensions**


9/16 x 1-9/16  
9/16 x 2-1/4



#### WM 453

##### **Dimensions**


9/16 x 2-1/4  
9/16 x 3-1/4  
11/16 x 3-1/4  
3/4 x 4-1/2



#### WM 356

##### **Dimensions**


9/16 x 3-1/4  
5/8 x 2-1/4  
11/16 x 2-1/4



#### WM 711

##### **Dimensions**


5/8 x 1-5/8  
5/8 x 2-1/2



**WM 338**

**Dimensions**


- 9/16 x 5-1/2
- 5/8 x 3-3/8
- 11/16 x 2-1/4
- 11/16 x 4-1/4



**OICM-1**

**Dimensions**


- 5/8 x 2-1/4



**WM 329**

**Dimensions**

- 5/8 x 2
- 11/16 x 2-1/4



**3 Step**

**Dimensions**


- 11/16 x 2-1/4
- 7/8 x 3-7/16
- 7/8 x 4-1/4



**OICM-2**

**Dimensions**

11/16 x 2-1/2




**OICM-3**

**Dimensions**

11/16 x 2-7/16

11/16 x 3-1/4




**WM 387**

**Dimensions**

5/8 x 2-1/4

5/8 x 2-1/2




**OICM-4**

**Dimensions**

3/4 x 2-7/16

3/4 x 4-1/2


1-1/16 x 3-1/4



**OICM-5**

**Dimensions**


5/8 x 2-1/2  
11/16 x 2-7/8



**OICM-6**

**Dimensions**


11/16 x 2-7/16  
1 x 3-1/2



**OICM-7**

**Dimensions**


11/16 x 2-1/2  
3/4 x 3-1/4



**OICM-8**

**Dimensions**

1-1/4 x 2-1/2




**OICM-9**

**Dimensions**

5/8 x 2-1/2


5/8 x 2-1/4



**OICM-10**

**Dimensions**


1-1/4 x 2-1/2



**OICM-11**

**Dimensions**

5/8 x 2-1/2




**OICM-12**

**Dimensions**

1 x 2-9/16


1-3/16 x 3-3/8



**WM 417**

**Dimensions**


1 x 2-1/2  
1-3/16 x 3-3/16



**WM 549**

**Dimensions**

5/8 x 3  
11/16 x 2-1/2  
1 x 3-1/4



**OICM-13**

**Dimensions**


5/8 x 2-1/2



**Kerfed**

**Dimensions**

11/16 x 2-1/2




**OICM-14**

**Dimensions**

3/4 x 2-5/8


1 x 3-1/2



**OICM-15**

**Dimensions**

11/16 x 2-7/8




**OICM-16**

**Dimensions**

5/8 x 2-1/2


11/16 x 2-7/8



**OICM-17**

**Dimensions**


11/16 x 3



**OICM-18**

**Dimensions**


5/8 x 3



**WM 312**

**Dimensions**

3/4 x 3



**OICM-19**

**Dimensions**

11/16 x 3-1/4


13/16 x 4-1/4



**OICM-20**

**Dimensions**


1-1/4 x 4-1/4



**OICM-21**

**Dimensions**


3/4 x 3-1/4



**OICM-22**

**Dimensions**


3/4 x 3-1/2



**OICM-23**

**Dimensions**


1-3/16 x 3-1/2



**OICM-24**

**Dimensions**

1-1/4 x 3-1/2




**OICM-25**

**Dimensions**

7/8 x 3-3/4

7/8 x 4-1/4



**OICM-26**

**Dimensions**

1-3/16 x 4-1/4

## Chair Rails

Chair rails are horizontal moulding used to protect the walls against chair damage and add a layered aesthetic to the walls.



**WM 390**

**Dimensions**

11/16 x 2-5/8



**OICHM-1**

**Dimensions**


9/16 x 2-1/2



**OICHM-2**

**Dimensions**

3/4 x 3



**WM 297**


**Dimensions**

11/16 x 3

## C. Crowns


### Crowns

Crown moulding is installed at the intersection of the wall and the ceiling. They add a beautiful, polished finish that allows the ceiling to appear higher.




**OICRM-1**

**Dimensions**  
1-1/4 x 1-1/2




**OICRM-2**

**Dimensions**  
9/16 x 1-7/8




**OICRM-3**

**Dimensions**  
9/16 x 2-3/8  
11/16 x 4-1/4  
11/16 x 5-1/4



**OICRM-4**

**Dimensions**  
5/8 x 2-9/16




**OICRM-5**

**Dimensions**  
1 x 1-7/8




**OICRM-6**

**Dimensions**  
1-1/4 x 3



**WM 51**


**Dimensions**  
9/16 x 2-3/4  
9/16 x 3-1/4  
9/16 x 4-1/4  
9/16 x 5-1/4  
9/16 x 6-1/2  
9/16 x 7-1/4  
5/8 x 3-5/8  
5/8 x 5-1/4



**OICRM-7**

**Dimensions**


- 9/16 x 3-3/8
- 5/8 x 4-1/4
- 1-1/16 x 7-1/4
- 1-1/4 x 5-5/8



**OICRM-8**

**Dimensions**


- 11/16 x 3-7/16
- 7/8 x 4-5/8
- 1-1/8 x 7-3/16



**OICRM-9**

**Dimensions**

- 9/16 x 3-7/16
- 3/4 x 6-1/2
- 7/8 x 6-9/16
- 1 x 7-15/16
- 1 x 11-1/4



**OICRM-10**

**Dimensions**

- 1-1/8 x 8-1/2



**OICRM-11**

**Dimensions**

3/4 x 4-5/8  
1 x 6



**OICRM-12**

**Dimensions**


9/16 x 4-1/4  
11/16 x 6  
1 x 8



**OICRM-13**

**Dimensions**


1 x 4-1/2



**OICRM-14**


**Dimensions**

9/16 x 4-1/2



**OICRM-15**

**Dimensions**  
11/16 x 7




**OICRM-16**

**Dimensions**  
1-3/16 x 6-5/16



**OICRM-17**

**Dimensions**  
1-1/8 x 6




**OICRM-18**

**Dimensions**  
1 x 6-3/4  
1-1/8 x 8-1/2

### Dentil Moulding

Dentil moulding can be used in combination with crown moulding to line the wall for a decorative feature.




OIEM-1

**Dimensions**

$7/8 \times 3-3/4$

$7/8 \times 5-1/2$



OIEM-2

**Dimensions**

$11/16 \times 5-3/64$




OIEM-3

**Dimensions**

$1/2 \times 5/8$

$5/8 \times 15/16$

## D. Pattern Stock



Example



### Nickel Gap V-Groove (Reversible)

#### Dimensions

1 x 4  
1 x 6  
1 x 8  
1 x 10

### Nickel Gap Shiplap (Non-Reversible)

#### Dimensions

1 x 4  
1 x 6  
1 x 8  
1 x 10



**Smooth Nickel Gap**

**Dimensions**

- 1 x 4
- 1 x 6
- 1 x 8
- 1 x 10



**Beaded Nickel Gap**

**Dimensions**

- 1 x 4
- 1 x 6
- 1 x 8
- 1 x 10

## E. Window & Door Stock - Jamb, Stool, Stops

### Jamb

Jamb is the vertical and top horizontal moulding, or side posts, of a window or door frame. It makes up the frame and provides security and stability for the window or door.

#### Flat

##### Dimensions

5/8 x 4-9/16  
 5/8 x 4-5/8  
 5/8 x 6-9/16  
 5/8 x 6-5/8  
 11/16 x 4-9/16  
 11/16 x 4-5/8  
 11/16 x 6-9/16  
 11/16 x 6-5/8



### Stool

Stool moulding is installed at the bottom of the window and covers the space between the frame and bottom of the window.

#### OISTM-1

##### Dimensions


11/16 x 4-3/4  
 11/16 x 6-3/4



#### OISTM-2


##### Dimensions

11/16 x 4-3/4  
 11/16 x 6-1/2



## Stops

Stop moulding is a wood strip that stops the door from swinging through the frame.



Ogee

**Dimensions**

1/2 x 1-3/4




E2E

**Dimensions**

3/8 x 1-1/4

## Astragal

Astragal moulding can be used to seal the space between the door frame and the door edge to protect against weather, fire, and sound.



Astragal

**Dimensions**

11/16 x 1-3/4

---

## F. Boards

---

### S4S SE

---

#### Dimensions

1x2B	11/16 x 1-1/2
1x3B	11/16 x 2-1/2
1x4B	11/16 x 3-1/2
1x5B	11/16 x 4-1/2
1x6B	11/16 x 5-1/2
1x8B	11/16 x 7-1/4
1x10B	11/16 x 9-1/4
1x12B	11/16 x 11-1/4




### S4S E2E

---

#### Dimensions

1x2A	11/16 x 1-1/2
1x3A	11/16 x 2-1/2
1x4A	11/16 x 3-1/2
1x5A	11/16 x 4-1/2
1x6A	11/16 x 5-1/2
1x8A	11/16 x 7-1/4
1x10A	11/16 x 9-1/4
1x12A	11/16 x 11-1/4



## 2. Primed Pine Moulding

Our Primed Pine Moulding combines affordability and exceptional performance for paint-grade applications. Easier to cut and install than MDF, this product is ready for a final coat of your choice—whether oil, lacquer, or acrylic—for a polished, professional result. Sourced from responsibly managed Radiata Pine forests in Chile, our Moulding offer the perfect blend of versatility and aesthetic appeal, making them a preferred choice for modern interior designs.

Finger-jointed Pine is meticulously crafted by removing imperfections from standard-grade lumber, bonding clear pieces into long, stable lengths that resist twisting and warping. This process ensures a smooth, reliable product at a lower cost than stain-grade alternatives. For an even more refined finish, our Primed Pine features three layers of factory-applied primer, delivering an ultra-smooth surface with invisible joints and grain.



## G. Baseboards, Caps, Miscellaneous

### Baseboards

Baseboards line the bottom on an interior wall, covering the intersection where the wall and the floor meet. They protect your walls from common scuffs and water damage. They also add a decorative finish and come in a wide variety of profiles.



#### E1E

##### **Dimensions**

1/2 x 5-1/2  
9/16 x 3-1/2  
9/16 x 4-1/2  
9/16 x 5-1/2



#### WM 356

##### **Dimensions**


3/8 x 2-1/4  
7/16 x 2-1/4  
1/2 x 3-1/4



#### WM 626

##### **Dimensions**

3/8 x 1-1/2  
7/16 x 3-1/2



OIBP-1

**Dimensions**  
3/8 x 1-1/2




Ranch

**Dimensions**  
3/8 x 2-1/4  
7/16 x 2-1/2  
7/16 x 3-1/2



OIBP-2

**Dimensions**  
5/8 x 1-5/8



**WM 623**

**Dimensions**  
9/16 x 3-1/4  
9/16 x 4-1/4  
9/16 x 5-1/4



**OIBP-3**

**Dimensions**  
9/16 x 4-1/4




**OIBP-4**

**Dimensions**  
9/16 x 5-1/4  
9/16 x 7-1/4



**OIBP-5**

**Dimensions**  
11/16 x 4-1/4



**OIBP-6**

**Dimensions**  
9/16 x 4-1/2

## Base Shoe

Adds a refined look by covering the gap between the floor and the bottom of the baseboard.

### Base Shoe


#### Dimensions

3/8 x 3/4

1/2 x 3/4

11/16 x 11/16

3/4 x 3/4



## Caps

Caps are installed on top of baseboards to build up the moulding. They add an extra layer of complexity.



### OICAP-1

#### Dimensions

1-7/32 x 1-1/8



### OICAP-2

#### Dimensions


11/16 x 1-3/8



**OICAP-3**

**Dimensions**


1 1/16 x 2



**Quarter Round**

**Dimensions**

3/4 x 3/4



**OICAP-4**

**Dimensions**

1-3/4 x 1-3/4



**OICAP-5**

**Dimensions**


13/16 x 2-5/8



**OICAP-6**

**Dimensions**

1-1/2 x 2-1/2



**OICAP-7**

**Dimensions**

3/4 x 3/4

### Back Bands


Apply to new or existing moulding installations to enhance and build up the moulding.



**OIBBP-1**

**Dimensions**

3/4 x 1




**OIBBP-2**

**Dimensions**

1-3/8 x 1-1/16

### Brick Moulding


Brick moulding is used to frame the outer edge of windows and doors.



**OIBMP-1**

**Dimensions**

1-1/4 x 2




**OIBMP-2**

**Dimensions**

1-1/4 x 2

## Stucco Moulding


Stucco moulding is a decorative trim for doors, windows, columns, and more.



**OISTP-1**

**Dimensions**


7/8 x 1-1/4



**OISTP-2**

**Dimensions**

3/4 x 1-1/4



**OISTP-3**

**Dimensions**


7/8 x 1-3/16



**S4S E2E Header**

**Dimensions**

1-1/16 x 3-1/2  
1-1/16 x 5-1/2  
1-1/16 x 7-1/4



**Bead Moulding**

**Dimensions**


7/16 x 1-1/4



**Apron**

**Dimensions**

5/8 x 2-1/4



**Handrail**


**Dimensions**

1-1/2 x 2-1/4

## H. Casing, Chair Rails

### Casing

Casing is used to frame windows and doors where they meet the wall. They cover any gaps and provide a polished look.




**WM 324**

**Dimensions**

5/8 x 1-5/8


11/16 x 2-1/4



**OICP-1**

**Dimensions**

5/8 x 1-5/8




**WM 329**

**Dimensions**

5/8 x 2

11/16 x 2-1/4



**OICP-2**

**Dimensions**

9/16 x 1-1/2



**WM 453**

**Dimensions**

- 9/16 x 2-1/4
- 9/16 x 3-1/4
- 11/16 x 2-1/4
- 23/32 x 2-1/2
- 3/4 x 3-1/2
- 3/4 x 4-1/2



**WM 356**

**Dimensions**


- 3/8 x 2-1/4
- 7/16 x 2-1/4
- 11/16 x 2-1/4



**WM 711**

**Dimensions**


- 5/8 x 1-5/8
- 5/8 x 2-1/2



**WM 366**

**Dimensions**


- 5/8 x 2-1/4
- 11/16 x 2-1/4



**WM 312**

**Dimensions**


11/16 x 2-7/16



**WM 549**

**Dimensions**

11/16 x 2-1/2



**OICP-3**

**Dimensions**


5/8 x 2-1/2



**OICP-4**

**Dimensions**


11/16 x 2-1/2



**OICP-5**

**Dimensions**

5/8 x 2-5/8



**OICP-6**

**Dimensions**

11/16 x 3



**OICP-7**

**Dimensions**

11/16 x 3-1/4



**OICP-8**

**Dimensions**

1-1/4 x 4-1/2

## Chair Rails

Chair rails are horizontal moulding used to protect the walls against chair damage and add a layered aesthetic to the walls.



OIHP-1

Dimensions  
1 1/16 x 1 3/4



OIHP-2

Dimensions  
3/4 x 2 1/8



OIHP-3

Dimensions  
5/8 x 2 1/2




WM 390

Dimensions  
5/8 x 2 5/8

# I. Crowns

## Crowns

Crown moulding is installed at the intersection of the wall and the ceiling. They add a beautiful, polished finish that allows the ceiling to appear higher.




**OICRP-1**

**Dimensions**

11/16 x 2-3/8

11/16 x 4

3/4 x 5-1/4



**WM 51**


**Dimensions**

9/16 x 2-3/4

9/16 x 4-1/4

9/16 x 4-5/8

5/8 x 3-5/8




**OICRP-2**

**Dimensions**

11/16 x 3-7/16


7/8 x 4-15/16



**OICRP-3**

**Dimensions**

1-1/8 x 4-5/16




OICRP-4

Dimensions  
3/4 x 4-1/2



OICRP-5

Dimensions  
7/8 x 4-5/8  
1-1/4 x 6-1/2



OICRP-6

Dimensions  
9/16 x 5-1/4


## J. Pattern Stock



**T&G Wainscot (Reversible)**

**Dimensions**

1 x 4  
1 x 6  
1 x 8  
1 x 10



**Nickel Gap Shiplap (Non-Reversible)**

**Dimensions**

1 x 4  
1 x 6  
1 x 8  
1 x 10

*Example*



## K. Window & Door Stock - Jamb, Stool, Stops

### Jamb

Jamb is the vertical and top horizontal moulding, or side posts, of a window or door frame. It makes up the frame and provides security and stability for the window or door.

#### Flat

##### **Dimensions**


5/8 x 4-9/16  
5/8 x 4-5/8  
5/8 x 6-9/16  
5/8 x 6-5/8  
11/16 x 4-9/16  
11/16 x 4-5/8  
11/16 x 6-9/16  
11/16 x 6-5/8



#### Single Rabbeted

##### **Dimensions**

1-1/4 x 4-1/8  
1-1/4 x 4-5/8  
1-1/4 x 4-3/4  
1-1/4 x 5-1/4  
1-1/4 x 6-1/8  
1-1/4 x 6-5/8  
1-1/4 x 7-1/4



### Single Rabbeted Kerf

**Dimensions**


1-1/4 x 4-1/8  
1-1/4 x 4-5/8  
1-1/4 x 4-3/4  
1-1/4 x 5-1/4  
1-1/4 x 6-1/8  
1-1/4 x 6-5/8  
1-1/4 x 7-1/4



### Double Rabbeted (Reversible)

**Dimensions**

1-1/4 x 5-1/4



## Stool

Stool moulding is installed at the bottom of the window and covers the space between the frame and bottom of the window.



### Bullnose

#### Dimensions

1-1/16 x 2




### E1E

#### Dimensions

11/16 x 5-1/2

## S4S Frame Pair



### S4S Frame Pair

#### Dimensions

1/2 x 3/4

3/4 x 1-5/8

3/4 x 2-1/2

3/4 x 3-1/2

## Stops

Stop moulding is a wood strip that stops the door from swinging through the frame.



### E1E

#### **Dimensions**

3/8 x 1-1/4

1/2 x 1-1/4

1/2 x 1-1/2

1/2 x 1-5/8




### E2E

#### **Dimensions**

3/8 x 1-1/4

## Astragal

Astragal moulding can be used to seal the space between the door frame and the door edge to protect against weather, fire, and sound.



### Astragal

#### **Dimensions**

11/16 x 1-5/8

---


## L. Boards

---

### S4S SE

#### Dimensions

1x2B	11/16 x 1-1/2
1x3B	11/16 x 2-1/2
1x4B	11/16 x 3-1/2
1x5B	11/16 x 4-1/2
1x6B	11/16 x 5-1/2
1x8B	11/16 x 7-1/4
1x10B	11/16 x 9-1/4
1x12B	11/16 x 11-1/4



# 4. Index

Profile	Dimensions	Species	Page
E1E Base	3/8 x 2-1/4	MDF	5
E1E Base	1/2 x 3-1/4	MDF	5
E1E Base	1/2 x 3-1/2	MDF	5
E1E Base	1/2 x 4-1/2	MDF	5
E1E Base	1/2 x 5-1/2	MDF	5
E1E Base	1/2 x 7-1/4	MDF	5
3 Step Base	7/16 x 2-1/2	MDF	5
3 Step Base	1/2 x 3-1/2	MDF	5
3 Step Base	1/2 x 4-1/8	MDF	5
WM 356 Base	12mm x 2-1/2	MDF	5
WM 626 Base	3/8 x 2-1/2	MDF	6
WM 626 Base	3/8 x 3-1/2	MDF	6
WM 626 Base	7/16 x 2-1/2	MDF	6
WM 626 Base	7/16 x 3-1/2	MDF	6
WM 626 Base	7/16 x 4-3/16	MDF	6
WM 366 Base	9/16 x 3-1/4	MDF	6
WM 623 Base	1/2 x 3-1/4	MDF	6
WM 623 Base	1/2 x 5-1/4	MDF	6
WM 623 Base	9/16 x 3-1/4	MDF	6
WM 623 Base	9/16 x 4-1/4	MDF	6
WM 623 Base	9/16 x 5-1/4	MDF	6
WM 623 Base	9/16 x 7-1/4	MDF	6
Ranch Base	7/16 x 3-1/2	MDF	7
Ranch Base	9/16 x 3-1/2	MDF	7
Ranch Base	9/16 x 5-1/2	MDF	7
Ranch Base	9/16 x 7-1/4	MDF	7
Ranch Base	11/16 x 5-1/2	MDF	7
OIBM-1 Base	9/16 x 2-7/8	MDF	7
OIBM-1 Base	9/16 x 3-7/8	MDF	7
OIBM-1 Base	9/16 x 5	MDF	7
OIBM-1 Base	9/16 x 5-1/4	MDF	7
OIBM-1 Base	9/16 x 7-1/4	MDF	7
OIBM-1 Base	9/16 x 8	MDF	7
OIBM-2 Base	1/2 x 5-1/4	MDF	7
OIBM-2 Base	9/16 x 3-1/4	MDF	7
OIBM-2 Base	9/16 x 5-1/4	MDF	7
OIBM-2 Base	9/16 x 7-1/4	MDF	7
OIBM-3 Base	9/16 x 3-1/2	MDF	8
OIBM-3 Base	9/16 x 5-1/4	MDF	8
OIBM-3 Base	5/8 x 4-1/4	MDF	8
OIBM-4 Base	9/16 x 3-7/16	MDF	8
OIBM-4 Base	9/16 x 4-1/2	MDF	8
OIBM-4 Base	9/16 x 5-7/16	MDF	8
OIBM-4 Base	9/16 x 9-1/4	MDF	8
Heirloom Base	7/16 x 3-1/2	MDF	8
Heirloom Base	9/16 x 5-1/4	MDF	8
WM 741 Base	9/16 x 3-1/2	MDF	9
WM 741 Base	5/8 x 4-1/4	MDF	9
OIBM-5 Base	5/8 x 3-3/4	MDF	9
OIBM-5 Base	5/8 x 5	MDF	9
OIBM-5 Base	5/8 x 7-1/4	MDF	9
OIBM-6 Base	3/8 x 3-7/8	MDF	9
Kerfed Base	9/16 x 4-1/2	MDF	10
Kerfed Base	9/16 x 5-1/2	MDF	10
Flatstock Base	1/2 x 4	MDF	10

Profile	Dimensions	Species	Page
OIBM-7 Base	9/16 x 4	MDF	10
OIBM-7 Base	9/16 x 5-1/4	MDF	10
OIBM-8 Base	9/16 x 4-1/2	MDF	11
OIBM-9 Base	9/16 x 4-1/2	MDF	11
OIBM-9 Base	9/16 x 5-1/4	MDF	11
3 Staged Base	9/16 x 4-1/2	MDF	11
3 Staged Base	9/16 x 5-1/4	MDF	11
3 Staged Base	5/8 x 7-1/4	MDF	11
OIBM-10 Base	9/16 x 5-1/4	MDF	12
OIBM-11 Base	9/16 x 5	MDF	12
OIBM-12 Base	9/16 x 5-1/4	MDF	12
WM 610 Base	9/16 x 5-1/4	MDF	13
WM 610 Base	5/8 x 6-1/8	MDF	13
OIBM-13 Base	9/16 x 5-1/4	MDF	13
WM 742 Base	9/16 x 5-1/4	MDF	13
WM 742 Base	9/16 x 7-1/4	MDF	13
WM 742 Base	9/16 x 9-1/4	MDF	13
OIBM-14 Base	11/16 x 5-3/4	MDF	14
OIBM-15 Base	9/16 x 5-7/16	MDF	14
OIBM-15 Base	5/8 x 7-1/4	MDF	14
OIBM-16 Base	9/16 x 5-1/4	MDF	14
OIBM-17 Base	5/8 x 6	MDF	15
OIBM-18 Base	11/16 x 6	MDF	15
OIBM-19 Base	9/16 x 7-1/4	MDF	15
OIBM-19 Base	5/8 x 6	MDF	15
OIBM-19 Base	5/8 x 8-1/4	MDF	15
OIBM-20 Base	9/16 x 7-1/4	MDF	16
WM 780 Base	9/16 x 6-1/2	MDF	16
OIBM-21 Base	3/4 x 6-1/2	MDF	16
OIBM-22 Base	9/16 x 7-1/4	MDF	17
OIBM-23 Base	1 x 8-1/2	MDF	17
OIBM-24 Base	1 x 7-3/8	MDF	17
OIBM-24 Base	1 x 8-1/2	MDF	17
Corner Cap	1 x 2-1/2	MDF	18
OICAM-1 Cap	1 x 2-1/2	MDF	18
OICAM-2 Cap	3/4 x 2	MDF	18
WM 324 Casing	9/16 x 1-9/16	MDF	19
WM 324 Casing	9/16 x 2-1/4	MDF	19
WM 453 Casing	9/16 x 2-1/4	MDF	19
WM 453 Casing	9/16 x 3-1/4	MDF	19
WM 453 Casing	11/16 x 3-1/4	MDF	19
WM 453 Casing	3/4 x 4-1/2	MDF	19
WM 356 Casing	9/16 x 3-1/4	MDF	19
WM 356 Casing	5/8 x 2-1/4	MDF	19
WM 356 Casing	11/16 x 2-1/4	MDF	19
WM 711 Casing	5/8 x 1-5/8	MDF	19
WM 711 Casing	5/8 x 2-1/2	MDF	19
WM 338 Casing	9/16 x 5-1/2	MDF	20
WM 338 Casing	5/8 x 3-3/8	MDF	20
WM 338 Casing	11/16 x 2-1/4	MDF	20
WM 338 Casing	11/16 x 4-1/4	MDF	20
OICM-1 Casing	5/8 x 2-1/4	MDF	20
WM 329 Casing	5/8 x 2	MDF	20
WM 329 Casing	11/16 x 2-1/4	MDF	20
3 Step Casing	11/16 x 2-1/4	MDF	20

Profile	Dimensions	Species	Page
3 Step Casing	7/8 x 3-7/16	MDF	20
3 Step Casing	7/8 x 4-1/4	MDF	20
OICM-2 Casing	11/16 x 2-1/2	MDF	21
OICM-3 Casing	11/16 x 2-7/16	MDF	21
OICM-3 Casing	11/16 x 3-1/4	MDF	21
WM 387 Casing	5/8 x 2-1/4	MDF	21
WM 387 Casing	5/8 x 2-1/2	MDF	21
OICM-4 Casing	3/4 x 2-7/16	MDF	21
OICM-4 Casing	3/4 x 4-1/2	MDF	21
OICM-4 Casing	1-1/16 x 3-1/4	MDF	21
OICM-5 Casing	5/8 x 2-1/2	MDF	22
OICM-5 Casing	11/16 x 2-7/8	MDF	22
OICM-6 Casing	11/16 x 2-7/16	MDF	22
OICM-6 Casing	1 x 3-1/2	MDF	22
OICM-7 Casing	11/16 x 2-1/2	MDF	22
OICM-7 Casing	3/4 x 3-1/4	MDF	22
OICM-8 Casing	1-1/4 x 2-1/2	MDF	22
OICM-9 Casing	5/8 x 2-1/2	MDF	23
OICM-9 Casing	5/8 x 2-1/4	MDF	23
OICM-10 Casing	1-1/4 x 2-1/2	MDF	23
OICM-11 Casing	5/8 x 2-1/2	MDF	23
OICM-12 Casing	1 x 2-9/16	MDF	23
OICM-12 Casing	1-3/16 x 3-3/8	MDF	23
WM 417 Casing	1 x 2-1/2	MDF	24
WM 417 Casing	1-3/16 x 3-3/16	MDF	24
WM 549 Casing	5/8 x 3	MDF	24
WM 549 Casing	11/16 x 2-1/2	MDF	24
WM 549 Casing	1 x 3-1/4	MDF	24
OICM-13 Casing	5/8 x 2-1/2	MDF	24
Kerfed Casing	11/16 x 2-1/2	MDF	24
OICM-14 Casing	3/4 x 2-5/8	MDF	25
OICM-14 Casing	1 x 3-1/2	MDF	25
OICM-15 Casing	11/16 x 2-7/8	MDF	25
OICM-16 Casing	5/8 x 2-1/2	MDF	25
OICM-16 Casing	11/16 x 2-7/8	MDF	25
OICM-17 Casing	11/16 x 3	MDF	25
OICM-18 Casing	5/8 x 3	MDF	26
WM 312 Casing	3/4 x 3	MDF	26
OICM-19 Casing	11/16 x 3-1/4	MDF	26
OICM-19 Casing	13/16 x 4-1/4	MDF	26
OICM-20 Casing	1-1/4 x 4-1/4	MDF	26
OICM-21 Casing	3/4 x 3-1/4	MDF	27
OICM-22 Casing	3/4 x 3-1/2	MDF	27
OICM-23 Casing	1-3/16 x 3-1/2	MDF	27
OICM-24 Casing	1-1/4 x 3-1/2	MDF	27
OICM-25 Casing	7/8 x 3-3/4	MDF	28
OICM-25 Casing	7/8 x 4-1/4	MDF	28
OICM-26 Casing	1-3/16 x 4-1/4	MDF	28
WM 390 Chair Rail	11/16 x 2-5/8	MDF	29
OICM-1 Chair Rail	9/16 x 2-1/2	MDF	29
OICM-2 Chair Rail	3/4 x 3	MDF	29
WM 297 Chair Rail	11/16 x 3	MDF	29
OICRM-1 Crown	1-1/4 x 1-1/2	MDF	30
OICRM-2 Crown	9/16 x 1-7/8	MDF	30
OICRM-3 Crown	9/16 x 2-3/8	MDF	30
OICRM-3 Crown	11/16 x 4-1/4	MDF	30
OICRM-3 Crown	11/16 x 5-1/4	MDF	30
OICRM-4 Crown	5/8 x 2-9/16	MDF	30
OICRM-5 Crown	1 x 1-7/8	MDF	31

Profile	Dimensions	Species	Page
OICRM-6 Crown	1-1/4 x 3	MDF	31
WM 51 Crown	9/16 x 2-3/4	MDF	31
WM 51 Crown	9/16 x 3-1/4	MDF	31
WM 51 Crown	9/16 x 4-1/4	MDF	31
WM 51 Crown	9/16 x 5-1/4	MDF	31
WM 51 Crown	9/16 x 6-1/2	MDF	31
WM 51 Crown	9/16 x 7-1/4	MDF	31
WM 51 Crown	5/8 x 3-5/8	MDF	31
WM 51 Crown	5/8 x 5-1/4	MDF	31
OICRM-7 Crown	9/16 x 3-3/8	MDF	32
OICRM-7 Crown	5/8 x 4-1/4	MDF	32
OICRM-7 Crown	1-1/16 x 7-1/4	MDF	32
OICRM-7 Crown	1-1/4 x 5-5/8	MDF	32
OICRM-8 Crown	11/16 x 3-7/16	MDF	32
OICRM-8 Crown	7/8 x 4-5/8	MDF	32
OICRM-8 Crown	1-1/8 x 7-3/16	MDF	32
OICRM-9 Crown	9/16 X 3-7/16	MDF	32
OICRM-9 Crown	3/4 x 6-1/2	MDF	32
OICRM-9 Crown	7/8 x 6-9/16	MDF	32
OICRM-9 Crown	1 x 7-15/16	MDF	32
OICRM-9 Crown	1 x 11-1/4	MDF	32
OICRM-10 Crown	1-1/8 x 8-1/2	MDF	32
OICRM-11 Crown	3/4 x 4-5/8	MDF	33
OICRM-11 Crown	1 x 6	MDF	33
OICRM-12 Crown	9/16 x 4-1/4	MDF	33
OICRM-12 Crown	11/16 x 6	MDF	33
OICRM-12 Crown	1 x 8	MDF	33
OICRM-13 Crown	1 x 4-1/2	MDF	33
OICRM-14 Crown	9/16 x 4-1/2	MDF	33
OICRM-15 Crown	11/16 x 7	MDF	34
OICRM-16 Crown	1-3/16 x 6-5/16	MDF	34
OICRM-17 Crown	1-1/8 x 6	MDF	34
OICRM-18 Crown	1 x 6-3/4	MDF	34
OICRM-18 Crown	1-1/8 x 8-1/2	MDF	34
OIDEM-1 Dentil Moulding	7/8 x 3-3/4	MDF	35
OIDEM-1 Dentil Moulding	7/8 x 5-1/2	MDF	35
OIDEM-2 Dentil Moulding	11/16 x 5-3/64	MDF	35
OIDEM-3 Dentil Moulding	1/2 x 5/8	MDF	35
OIDEM-3 Dentil Moulding	5/8 x 15/16	MDF	35
Nickel Gap V-Groove	1 x 4	MDF	36
Nickel Gap V-Groove	1 x 6	MDF	36
Nickel Gap V-Groove	1 x 8	MDF	36
Nickel Gap V-Groove	1 x 10	MDF	36
Nickel Gap Shiplap	1 x 4	MDF	36
Nickel Gap Shiplap	1 x 6	MDF	36
Nickel Gap Shiplap	1 x 8	MDF	36
Nickel Gap Shiplap	1 x 10	MDF	36
Smooth Nickel Gap	1 x 4	MDF	37
Smooth Nickel Gap	1 x 6	MDF	37
Smooth Nickel Gap	1 x 8	MDF	37
Smooth Nickel Gap	1 x 10	MDF	37
Beaded Nickel Gap	1 x 4	MDF	37
Beaded Nickel Gap	1 x 6	MDF	37
Beaded Nickel Gap	1 x 8	MDF	37
Beaded Nickel Gap	1 x 10	MDF	37
Flat Jamb	5/8 x 4-9/16	MDF	38
Flat Jamb	5/8 x 4-5/8	MDF	38
Flat Jamb	5/8 x 6-9/16	MDF	38
Flat Jamb	5/8 x 6-5/8	MDF	38



Profile	Dimensions	Species	Page
Flat Jamb	11/16 x 4-9/16	MDF	38
Flat Jamb	11/16 x 4-5/8	MDF	38
Flat Jamb	11/16 x 6-9/16	MDF	38
Flat Jamb	11/16 x 6-5/8	MDF	38
OISTM-1 Stool	11/16 x 4-3/4	MDF	38
OISTM-1 Stool	11/16 x 6-3/4	MDF	38
OISTM-2 Stool	11/16 x 4-3/4	MDF	38
OISTM-2 Stool	11/16 x 6-1/2	MDF	38
Ogee Stop	1/2 x 1-3/4	MDF	39
E2E Stop	3/8 x 1-1/4	MDF	39
Astragal	11/16 x 1-3/4	MDF	39
S4S SE Board - 1x2B	11/16 x 1-1/2	MDF	40
S4S SE Board - 1x3B	11/16 x 2-1/2	MDF	40
S4S SE Board - 1x4B	11/16 x 3-1/2	MDF	40
S4S SE Board - 1x5B	11/16 x 4-1/2	MDF	40
S4S SE Board - 1x6B	11/16 x 5-1/2	MDF	40
S4S SE Board - 1x8B	11/16 x 7-1/4	MDF	40
S4S SE Board - 1x10B	11/16 x 9-1/4	MDF	40
S4S SE Board - 1x12B	11/16 x 11-1/4	MDF	40
S4S E2E Board - 1x2A	11/16 x 1-1/2	MDF	40
S4S E2E Board - 1x3A	11/16 x 2-1/2	MDF	40
S4S E2E Board - 1x4A	11/16 x 3-1/2	MDF	40
S4S E2E Board - 1x6A	11/16 x 5-1/2	MDF	40
S4S E2E Board - 1x8A	11/16 x 7-1/4	MDF	40
S4S E2E Board - 1x10A	11/16 x 9-1/4	MDF	40
S4S E2E Board - 1x12A	11/16 x 11-1/4	MDF	40
E1E Base	1/2 x 5-1/2	Primed Pine	42
E1E Base	9/16 x 3-1/2	Primed Pine	42
E1E Base	9/16 x 4-1/2	Primed Pine	42
E1E Base	9/16 x 5-1/2	Primed Pine	42
WM 356 Base	3/8 x 2-1/4	Primed Pine	42
WM 356 Base	7/16 x 2-1/4	Primed Pine	42
WM 356 Base	1/2 x 3-1/4	Primed Pine	42
WM 626 Base	3/8 x 1-1/2	Primed Pine	42
WM 626 Base	7/16 x 3-1/2	Primed Pine	42
OIBP-1 Base	3/8 x 1-1/2	Primed Pine	43
Ranch Base	3/8 x 2-1/4	Primed Pine	43
Ranch Base	7/16 x 2-1/2	Primed Pine	43
Ranch Base	7/16 x 3-1/2	Primed Pine	43
OIBP-2 Base	5/8 x 1-5/8	Primed Pine	43
WM 623 Base	9/16 x 3-1/4	Primed Pine	44
WM 623 Base	9/16 x 4-1/4	Primed Pine	44
WM 623 Base	9/16 x 5-1/4	Primed Pine	44
OIBP-3 Base	9/16 x 4-1/4	Primed Pine	44
OIBP-4 Base	9/16 x 5-1/4	Primed Pine	44
OIBP-4 Base	9/16 x 7-1/4	Primed Pine	44
OIBP-5 Base	11/16 x 4-1/4	Primed Pine	45
OIBP-6 Base	9/16 x 4-1/2	Primed Pine	45
Base Shoe	3/8 x 3/4	Primed Pine	46
Base Shoe	1/2 x 3/4	Primed Pine	46
Base Shoe	11/16 x 11/16	Primed Pine	46
Base Shoe	3/4 x 3/4	Primed Pine	46
OICAP-1 Cap	1-7/32 x 1-1/8	Primed Pine	46
OICAP-2 Cap	11/16 x 1-3/8	Primed Pine	46
OICAP-3 Cap	11/16 x 2	Primed Pine	47
Quarter Round	3/4 x 3/4	Primed Pine	47
OICAP-4 Cap	1-3/4 x 1-3/4	Primed Pine	47
OICAP-5 Cap	13/16 x 2-5/8	Primed Pine	47
OICAP-6 Cap	1-1/2 x 2-1/2	Primed Pine	48

Profile	Dimensions	Species	Page
OICAP-7 Cap	3/4 x 3/4	Primed Pine	48
OIBBP-1 Back Band	3/4 x 1	Primed Pine	49
OIBBP-2 Back Band	1-3/8 x 1-1/16	Primed Pine	49
OIBMP-1 Brick Moulding	1-1/4 x 2	Primed Pine	49
OIBMP-2 Brick Moulding	1-1/4 x 2	Primed Pine	49
OISTP-1 Stucco Moulding	7/8 x 1-1/4	Primed Pine	50
OISTP-2 Stucco Moulding	3/4 x 1-1/4	Primed Pine	50
OISTP-3 Stucco Moulding	7/8 x 1-3/16	Primed Pine	50
S4S E2E Header	1-1/16 x 3-1/2	Primed Pine	51
S4S E2E Header	1-1/16 x 5-1/2	Primed Pine	51
S4S E2E Header	1-1/16 x 7-1/4	Primed Pine	51
Bead Moulding	7/16 x 1-1/4	Primed Pine	51
Apron	5/8 x 2-1/4	Primed Pine	51
Handrail	1-1/2 x 2-1/4	Primed Pine	51
WM 324 Casing	5/8 x 1-5/8	Primed Pine	52
WM 324 Casing	11/16 x 2-1/4	Primed Pine	52
OICP-1 Casing	5/8 x 1-5/8	Primed Pine	52
WM 329 Casing	5/8 x 2	Primed Pine	52
WM 329 Casing	11/16 x 2-1/4	Primed Pine	52
OICP-2 Casing	9/16 x 1-1/2	Primed Pine	52
WM 453 Casing	9/16 x 2-1/4	Primed Pine	53
WM 453 Casing	9/16 x 3-1/4	Primed Pine	53
WM 453 Casing	11/16 x 2-1/4	Primed Pine	53
WM 453 Casing	23/32 x 2-1/2	Primed Pine	53
WM 453 Casing	3/4 x 3-1/2	Primed Pine	53
WM 453 Casing	3/4 x 4-1/2	Primed Pine	53
WM 356 Casing	3/8 x 2-1/4	Primed Pine	53
WM 356 Casing	7/16 x 2-1/4	Primed Pine	53
WM 356 Casing	11/16 x 2-1/4	Primed Pine	53
WM 711 Casing	5/8 x 1-5/8	Primed Pine	53
WM 711 Casing	5/8 x 2-1/2	Primed Pine	53
WM 366 Casing	5/8 x 2-1/4	Primed Pine	53
WM 366 Casing	11/16 x 2-1/4	Primed Pine	53
WM 312 Casing	11/16 x 2-7/16	Primed Pine	54
WM 549 Casing	11/16 x 2-1/2	Primed Pine	54
OICP-3 Casing	5/8 x 2-1/2	Primed Pine	54
OICP-4 Casing	11/16 x 2-1/2	Primed Pine	54
OICP-5 Casing	5/8 x 2-5/8	Primed Pine	55
OICP-6 Casing	11/16 x 3	Primed Pine	55
OICP-7 Casing	11/16 x 3-1/4	Primed Pine	55
OICP-8 Casing	1-1/4 x 4-1/2	Primed Pine	55
OICHP-1 Chair Rail	11/16 x 1-3/4	Primed Pine	56
OICHP-2 Chair Rail	3/4 x 2-1/8	Primed Pine	56
OICHP-3 Chair Rail	5/8 x 2-1/2	Primed Pine	56
WM 390 Chair Rail	5/8 x 2-5/8	Primed Pine	56
OICRP-1 Crown	11/16 x 2-3/8	Primed Pine	57
OICRP-1 Crown	11/16 x 4	Primed Pine	57
OICRP-1 Crown	3/4 x 5-1/4	Primed Pine	57
WM 51 Crown	9/16 x 2-3/4	Primed Pine	57
WM 51 Crown	9/16 x 4-1/4	Primed Pine	57
WM 51 Crown	9/16 x 4-5/8	Primed Pine	57
WM 51 Crown	5/8 x 3-5/8	Primed Pine	57
OICRP-2 Crown	11/16 x 3-7/16	Primed Pine	57
OICRP-2 Crown	7/8 x 4-15/16	Primed Pine	57
OICRP-3 Crown	1-1/8 x 4-5/16	Primed Pine	57
OICRP-4 Crown	3/4 x 4-1/2	Primed Pine	58
OICRP-5 Crown	7/8 x 4-5/8	Primed Pine	58
OICRP-5 Crown	1-1/4 x 6-1/2	Primed Pine	58
OICRP-6 Crown	9/16 x 5-1/4	Primed Pine	58



---

# 5. Contact Us

---

## Address

400-132 Esplanade West  
North Vancouver, BC  
V7M 1A2

## Email

[info@olympicind.com](mailto:info@olympicind.com)

## Tel

1 604 985 2115

## Toll Free

1 800 735 2115

## Website

[olympicind.com](http://olympicind.com)

## Social Media



\*All measurements are based on the manufacturer's specifications at the time of production. Olympic Industries is not the manufacturer and disclaims any and all damages, liability, and losses arising from or related to the use of the product or reliance on the measurements set forth in this FAQ. Olympic provides no warranties express or implied with regard to the use or specifications of the product (and disclaims the implied warranties of fitness for a particular use and merchantability).